

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application. No changes have been made to the claims.

**Listing of Claims:**

---

1. (Cancelled)
2. (Cancelled)
3. (Previously Presented) A system to refresh a display, the system comprising:  
a memory to store images of an image frame in a plurality of memory pages;  
a processor to perform drawing operations to generate the images for the image frame,  
the processor marking memory pages corresponding to regions of the image frame that have  
been updated while performing the drawing operations; and  
a display controller in communication with the memory to access the image frame and to  
send only the marked memory pages of the image frame to the display to refresh the display.
4. (Previously Presented) The system of claim 3, wherein the image frame is  
divided into tiles representing two-dimensional regions of the image frame, each of the tiles is  
stored in one separate memory page.
5. (Previously Presented) The system of claim 3, wherein each of the memory pages  
has a size of four Kilobytes.
6. (Previously Presented) The system of claim 3, wherein the image frame is  
represented by a configuration where color components of a pixel are deposited in contiguous  
memory locations.
7. (Previously Presented) The system of claim 3, wherein the image frame is  
represented by a configuration where color components of a pixel are separated and deposited in  
multiple color planes.
8. (Cancelled)

9. (Cancelled)

10. (Previously Presented) A method to refresh a display, comprising:  
storing at least one image frame such that content of the image frame is stored in a plurality of memory pages in a memory;  
marking memory pages corresponding to regions of the image frame that have been updated while performing drawing operations; and  
sending only the marked memory pages of the image frame to the display to refresh the display.

11. (Previously Presented) The method of claim 10 further comprising:  
dividing the image frame into tiles representing two-dimensional regions of the image frame; and  
storing each of the tiles in one separate memory page.

12. (Previously Presented) The method of claim 10 further comprises using memory pages of four Kilobytes in size.

13. (Previously Presented) The method of claim 10 further comprises organizing the image frame using a configuration where color components of a pixel are deposited in contiguous memory locations.

14. (Previously Presented) The method of claim 10, further comprises organizing the image frame using a configuration where color components of a pixel are separated and deposited in multiple color planes.

15. (Previously Presented) A program embodied on a system-readable medium to refresh a display, comprising:  
a first sub-program to control storing at least one image frame in a memory such that content of the image frame is stored in a plurality of memory pages in the memory;

a second sub-program to mark memory pages corresponding to regions of the image frame that have been updated while performing drawing operations; and

at least one sub-program to access the image frame and to send only the marked memory pages of the image frame one memory page at a time to the display to refresh the display.

16. (Cancelled)

17. (Cancelled)

18. (Original) The program of claim 15 further comprising:

a third sub-program to divide the image frame into tiles representing regions of the image frame and to store each tile in a separate memory page.

19. (Original) The program of claim 15 further comprising:

a third sub-program to organize the image frame using a configuration where color components of a pixel are deposited in contiguous memory locations.

20. (Original) The program of claim 15 further comprising:

a third sub-program to organize the image frame using a configuration where color components of a pixel are separated and deposited in multiple color planes.

21. (Original) The system of claim 3, wherein the display controller sends the image frame one memory page at a time to the display to refresh the display.

22. (Original) The method of claim 10, wherein the sending of the marked memory pages of the image frame to the display to refresh the display further comprises sending the marked memory pages one memory page at a time.

23. (Previously Presented) The system of claim 3, wherein the image frame is divided into tiles each representing a two-dimensional region of the image frame.

24. (Previously Presented) The program of claim 15 further comprising:  
a third sub-program to divide the image frame into tiles representing regions of the image  
frame.

---